



## VP-222K

### 2x1:2 Computer Graphics Video Switcher

---



Compatible with HDTV component video signals when used with a breakout cable such as the Kramer C-GM/3RVF.



The VP-222K is a high-performance switcher for computer graphics video signals with resolutions up to and exceeding UXGA. It switches one of two inputs to two identical outputs.

### FEATURES

---

- High Bandwidth - 415MHz (-3dB).
- HDTV Compatible.
- Kr-isp® Advanced Sync Processing - Ensures compatibility with a wide range of computers (even if the sync level is too low) by restoring the sync signal waveform. Kr-isp® advanced sync processing can be enabled or disabled.
- Compact Kramer TOOLST™ - 3 units can be rack mounted side-by-side in a 1U rack space with the optional RK-3T rack adapter.



## VP-222K

### TECHNICAL SPECIFICATIONS

INPUTS: 2 UXGA on 15-pin HD connectors.  
OUTPUTS: 2 UXGA on 15-pin HD connectors.  
VIDEO BANDWIDTH (-3dB): 415MHz.  
DIFF. GAIN: <0.02%.  
DIFF. PHASE: <0.02Deg.  
VIDEO S/N RATIO: 73dB.  
K-FACTOR: <0.05%.  
CROSSTALK: -58dB @5MHz.  
DIMENSIONS: 12cm x 7.0cm x 2.5cm (4.7" x 2.8" x 1.0") W, D, H.  
POWER CONSUMPTION: 5V DC, 115mA.  
WEIGHT: 0.26kg (0.58lbs) approx.  
INCLUDED ACCESSORIES: Power supply, mounting bracket.  
OPTIONS: RK-3T 19" rack adapter.

