



Lens Specifications - NMV - 35			
Specifications	Value	1/2"	1/3"
Focal Length	f = 35mm		
Maximum diameter (Ratio)	F = 1.4:1 ~ 16 ~ Close		
Picture Size	12.8 x 9.6mm	8.8 x 6.6mm	6.4 x 4.8mm
Angle - Vertical	15.8 deg.	10.8deg.	7.85 deg.
Horizontal	20.9 deg.	14.4 deg.	10.5deg.
Diagonal	26.1 deg.	18.0deg.	13.1 deg.
Distortion (TV)	-0.5%	-0.3%	-0.1%
Minimum Focus Distance	0.3m		
Flange Back	17.526mm in air		
Back Focus	16.8mm in air		
Filter Screw Size	M35.5 x 0.5		
Effective Diameter - Front	24.3mm dia.		
- Rear	19.1mm dia.		
Mount	C-Mount		
Exit Pupil	-57.9mm dia.		
Temperature Range	- 10 ~ + 45 deg. C		
Strong Temperature Range	- 40 ~ + 60 deg. C		

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	THE CONTENTS OF THIS DOCUMENT ARE PROPRIETARY TO NAVITAR, ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO REQUEST FOR QUOTATION OR PERFORMANCE OF WORK FOR NAVITAR
SCALE: 1.5:1	0.0 inch 1.0
WEIGHT: See Table	0.0 mm 25.0
DR: BE	DO NOT SCALE DRAWING
CH:	
PROJECT #: E2338	
DATE DR: 7/13/2007	

**OUTLINE**

**NAVITAR**  
ROCHESTER, NEW YORK

LENS 35.0mm FL 1.0" f/1.4

**AUDIOVIDEO SUPPLY**

1-800-284-2288 sales@avsupply.com  
www.avsupply.com

SIZE **B**

For design help, accessories or pricing, please contact:  
sales@avsupply or call: 1-858-565-1101