



SCALE 1.5

OUTLINE

Lens specification - NMV - 8M23			
Specification	Value	1/2"	1/3"
Focal length	f = 8mm		
Max. diameter (Ratio)	F = 1:1.4 ~ 16		
Picture Size	6.6 x 8.8mm	4.8 x 6.4	4.8 x 3.6
Angle			
Vertical	43.9 deg.	32.5 deg.	24.6 deg.
Horizontal	56.5 deg.	42.6 deg.	32.5 deg.
Diagonal	67.0 deg.	52.1 deg.	40.2 deg.
Distortion (TV)	-0.6%	-0.3%	-0.28%
Working Dist. - 500mm	0.016x		
Optical Mag. 400mm	0.020x		
300mm	0.027x		
200mm	0.039x		
100mm	0.075x		
Minimum Focus Distance	0.1m		
Flange Back	17.526mm in air		
Back focus	9.5mm in air		
Filter Screw Size	M27x0.5		
Effective Diameter - Front	17.2mm dia.		
Rear	14.6mm dia.		
Mount	C - Mount		
Exit Pupil	- 920mm		
Temperature Range	-10 ~ +45 deg. C		
Strong Temperature Range	-40 ~ +60 deg. C		
Resolution - Center	100 Line/mm		
Corner	100 Line/mm		
Weight	83g		

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	THE CONTENTS OF THIS DOCUMENT ARE PROPRIETARY TO NAVITAR, ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO REQUEST FOR QUOTATION OR PERFORMANCE OF WORK FOR NAVITAR
SCALE: 2:1	0.0 inch 1.0
WEIGHT: See Table	0.0 mm 25.0
DR: BE	DO NOT SCALE DRAWING
CH:	
PROJECT #: E2338	
DATE DR: 7/12/2007	

NAVITAR
ROCHESTER, NEW YORK

LENS, 8mm FL, f/1.4, 2/3" MEGAPIXEL

AUDIOVIDEO SUPPLY

1-800-284-2288 sales@avsupply.com
www.avsupply.com