


960H Color or Standard BW In-Wall Camera

CVC675 3.6mm lens, color

CVC75 3.6mm lens, BW

Features

- Fits into a single gang electrical box (included)
- Brushed stainless steel faceplate
- Lens options available
- 700 TV lines of resolution
- 5 year warranty



Specifications

	CVC675	CVC75
Image Sensor	1/3" Sony Super HAD II™ color CCD	1/3" BW CCD
Resolution	700 TV lines	420 TV lines
Minimum Illumination	0.001 lux (sense-up on)	0.02 lux
Effective Pixels	976 (H) x 494 (V)	512 (H) x 492 (V)
Scanning System	2:1 interlace	2:1 interlace
Angle of View	Horizontal: 72° / Vertical: 53°	Horizontal: 72° / Vertical: 53°
Outputs / Connection	Video - RCA, Power - DC jack	Video - BNC, Power - DC jack
Scanning Frequency	15.75kHz (H) / 60Hz (V)	15.75kHz (H) / 60Hz (V)
Electronic Shutter Speed	Auto: 1/60 sec. – 1/50,000 sec.	Auto: 1/60 sec. – 1/50,000 sec.
Synchronization	Internal	Internal
Video Output Level	1.0Vp-p / 75 ohms	1.0Vp-p / 75 ohms
Video S/N Ratio	Greater than 52dB	More than 48dB
Housing	Stainless steel	Stainless steel
Operating Temperature/ Humidity	14° F – 122° F / within 90% RH	14° F – 122° F / within 90% RH
Power Consumption	110mA	130mA
Power Supply	12VDC regulated (UL & CSA listed power supply included)	12VDC regulated (UL & CSA listed power supply included)
Dimensions	2.75" (W) x 4.25" (H) x 2.75" (L)	2.75" (W) x 4.25" (H) x 2.75" (L)
Weight	3.45 oz.	3.45 oz.

Optional Lenses

CVC6752.2.....2.2mm lens	CVC6758.....8mm lens
CVC6752.5.....2.5mm lens	CVC67512.....12mm lens
CVC6752.9.....2.9mm lens	CVC67516.....16mm lens
CVC6756.....6mm lens	

Speco Technologies is constantly developing and improving products. We reserve the right to modify product design and specifications without notice and without incurring any obligation. Spec Rev. 1/13/14