



VTD-HOCMD2CH

2.1 MP HD-SDI Mini Dome
with 3.6mm Fixed Lens



FEATURES

- 1/3" 2.1 Megapixel CMOS Sensor
- 1080 (1920x1080) @ 30fps
- 3.6mm Fixed Lens Included
- 2D-DNR - Two Dimensional Motion Adaptive Noise Reduction
- Can be Semi-Flush or Surface Mounted
- IP-66 Rated Weather Resistant Aluminum Enclosure w/Polished Chrome Finish
- 12VDC Operation



(888) VITEK-70 | WWW.VITEKCCTV.COM
28492 Constellation Road Valencia, CA 91355







VTD-HOCMD2CH

2.1 MP HD-SDI Mini Dome
with 3.6mm Fixed Lens

Detailed Specifications	
Image Device	1/3" 2.1 Megapixel CMOS
Resolution	1920x1080p(1080p/30fps)
Effective Pixels	1944(H)x1092(V) (2,122,848 Pixels)
Minimum Illumination	0.1LuX / F2.0
Included Lens	3.6mm Fixed Megapixel lens
Day/Night	Auto
Noise Reduction	2D-DNR
Synchronization	Internal
S/N Ratio	More than 50dB
Video Output	VBS 1Vpp +/-10%, 75ohm
Electronic Iris	1/60 ~ 1/100,000sec
Construction	Aluminum Housing with Polished Chrome Finish
Water Resistance	IP-66
Power Source	12VDC
Power Consumption	150mA
Operating condition	14F ~ 122F (-10C ~ +50C) / 95% RH Max
Dimensions	3.15" x 1.69"/2.47" (80mm x 42.8mm/62.8mm)
Weight	14.11 Oz. (400g)



(888) VITEK-70 | WWW.VITEKCCTV.COM
28492 Constellation Road Valencia, CA 91355

